


The palliative performance scale v2 use in palliative care in a community setting



Jeffery Hale - Saint Brigid's
Quebec city
2015-06-23
Lucie Catherine Oulmet RN, B ScN and Johanne Pétrin RN B ScN


Bill 10



Palliative care in Quebec city



State of situation



Often You Have to Rely On INTUITION


- Bill Gates -



THE PATIENT CHOICE
Giving you the power of choice



Findings



Where do we go from there...

Speak the same language



Victoria Hospice Palliative Performance Scale


PPSV 2

PPS Level	Activities	Activity & Evidence of Disease	Self-Care	Intake	Conscious Level
100%	Full	Normal activity & work No evidence of disease	Full	Normal	Full
90%	Full	Normal activity & work Some evidence of disease	Full	Normal	Full
80%	Full	Normal activity with Diet Some evidence of disease	Full	Normal or reduced	Full
70%	Reduced	Unable Normal diet/work Significant disease	Full	Normal or reduced	Full
60%	Reduced	Unable help/house work Significant disease	Occasional assistance necessary	Normal or reduced	Full or Confusion
50%	Many in Bed	Unable to do any work Extensive disease	Considerable assistance required	Normal or reduced	Full or Confusion
40%	Many in Bed	Unable to do most activity Extensive disease	Many assistance	Normal or reduced	Full or Drowsy or Confusion
30%	Totally Bed Bound	Unable to do any activity Extensive disease	Total Care	Normal or reduced	Full or Drowsy or Confusion
20%	Totally Bed Bound	Unable to do any activity Extensive disease	Total Care	Minimal to none	Full or Drowsy or Confusion
10%	Totally Bed Bound	Unable to do any activity Extensive disease	Total Care	Mouth care only	Drowsy or Coma or Confusion
0%	Death	Extensive disease	-	-	-

Average length of stay (using PPS with admission criteria ≤ 50%)

- 2013 • 35 days
- 2014 • 30 days
- 2015 • 35 days





TOTAL overview (2013-today)


PPS	n	Average stay
60%	20	45 days
50%	56	41 days
40%	35	19 days
30%	24	16 days
20%	4	6 days
10%	7	6 days

PPS survival rates in validation studies

PPS Level	Survival Rate (%) in Days										Total Cases	
	1	3	5	7	14	30	45	60	90	180		365
PPS 70%	99	97	96	95	87	77	62	81	35	16	7	150
PPS 60%	99	97	95	92	83	64	48	41	29	12	5	487
PPS 50%	97	93	87	82	67	47	36	28	19	8	4	1055
PPS 40%	94	82	73	66	48	27	19	15	9	4	1	1647
PPS 30%	84	63	48	40	23	12	8	6	4	2	1	1420
PPS 20%	56	28	15	9	4	2	2	1	1	0	0	737
PPS 10%	34%	13	5	3	1	0	0	0	0	0	0	570

* Boldfaced numbers represent approximately 50% survival rates at a given PPS level.

Using the Palliative Performance Scale to Provide Meaningful Survival Estimates. Lau, Francis et al. Journal of Pain and Symptom Management, Volume 38, Issue 1, 134-144



Key Point



**Education
&
Training**

Thank you

Special thanks to The Jeffery Hale Partners for the travel grant

For further information, do not hesitate to contact us

johanne.petrin@ssss.gouv.qc.ca
Lucie.ouimet@ssss.gouv.qc.ca

Thank you!

References

- Soins palliatifs de fin de vie au Québec : Définition et mesure d'indicateurs, Institut national de santé publique du Québec, 2006
- <https://www.inspq.qc.ca/pdf/publications/472-SoinsPalliatifsQuebec.pdf>
- Using the Palliative Performance Scale to Provide Meaningful Survival Estimates Lau, Francis et al. Journal of Pain and Symptom Management , Volume 38 , Issue 1 , 134 - 144
- http://www.victoriahospice.org/sites/default/files/ppsv2_qa_by_categories_updated_mar_2011_o.pdf
- https://www.rrssso3.gouv.qc.ca/pdf/RAP_Harmonisation_soins_pall_dcom-04-201320-220WEB.pdf
- https://www.rrssso3.gouv.qc.ca/pdf/Rapport_soinspalliatifs_internet.pdf
- <http://www.viha.ca/NR/rdonlyres/4883DD2-ASC-4FC1-81F2-D60E2B64F6Do/b/ResearchRoundsMichaelDowningslides.pdf>
- Programme de soins palliatifs et de fin de vie à l'hôpital Jeffery Hale saint Brigid's , juin 2012